


7000L – Knights' wooden tower



MATERIAL	ALUMINIUM TIMBER
DIMENSIONS	453X97,5XH369CM
DECKS HEIGHT	140 CM
CRITICAL FALL HEIGHT	140 CM
MINIMUM SPACE REQUIRED	803,5X454 CM
SAFETY FLOOR REQUIRED	32 MQ



Certified according to European Standard EN 1176.

Component list:

- N.6 in northern pine of first choice structural poles with fine and compact grain, seasoned for 12 months with 8 weeks rest following pressure treatment, of section 90x90 mm with rounded corners and rounded edges with a 4 leaf clover profile, fitted with a colored polyethylene cap.
- N. 1 deck realized with northern pine boards.
Internal dimensions: 880x700 mm.
External dimensions: 880x880
- N.1 stair manufactured with 19 mm thick polyethylene sides and elements of climb (steps) made of northern pine impregnated in autoclave. The tread is a generous 14cm deep offering stable, secure support to children. Handrail in polyethylene 19 mm thick and lateral boards of plugging rounded in colored polyethylene 15 mm thick.
- N.1 polyethylene roof 10 mm thick, fixed with a special zinced steel connector.
Dimensions: 980x980xH3700 mm,
- N. 2 two-tone polyethylene panels 19 mm thick moulded with decorative and available incisions in the following colors: yellow – blue – red anti UV. Dimensions: L=700x815
- N. 1 single slide manufactured from rotationally moulded high density polyethylene in various UV stable colors and with a polyethylene entrance panel.

Dimensions: 975x4535xH3690 mm.

Minimum space required: 8035x4539 mm